

**Notice of Allowability**

Application No.

09/837,539

Examiner

Charles A. Marmor, II

Applicant(s)

BARKER ET AL.

Art Unit

3736

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the Amendment filed 29 April 2004.
2. ☒ The allowed claim(s) is/are 1 and 8-16 (renumbered claims 1-10).
3. ☒ The drawings filed on 18 April 2001 and 06 June 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
  1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).


\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413),  
Paper No./Mail Date 05132004.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

  
Charles A. Marmor, II  
Primary Examiner  
Art Unit: 3736

### EXAMINER'S AMENDMENT

1. This Examiner's Amendment is responsive to the Amendment filed April 29, 2004. The Examiner acknowledges the cancellation of claims 2 and 5. Claims 1 and 8-20 remain pending.

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Stephen H. Eland on May 13, 2004.

3. The application has been amended as follows:

Claims 17-20 have been canceled.

4. The following is an examiner's statement of reasons for allowance:

No prior art of record teach or fairly suggest a medical device, as claimed by Applicant, including a hollow housing, a needle, a needle biasing element, a needle retainer and a shield fixedly attached to the housing and projecting forwardly therefrom for enclosing the needle when the needle is in a retracted position, where the shield is puncture resistant such that the axial force required to buckle the shield is less than the

Art Unit: 3736

force necessary to puncture the shield with the needle in order to prevent inadvertent contact with the needle.

PCT Application No. WO 00/20058 (Prestidge et al.) represents the closest prior art of record. Prestidge et al. teach all of the structural limitations of the claimed medical device except that the shield is substantially puncture resistant. Prestidge et al. teach a shield that is formed by a thin-walled, flexible catheter that can be punctured by the needle if the needle were to be retracted too far relative to the catheter as discussed at page 11, lines 22-29. Prestidge et al. further fail to teach or suggest that the shield is puncture resistant such that the axial force required to buckle the shield is less than the force necessary to puncture the shield with the needle.


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles A. Marmor, II whose telephone number is (703) 305-3521. The examiner can normally be reached on M-TH (7:00-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mary Beth Jones can be reached on (703) 308-3400. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3736

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Charles A. Marmor, II  
Primary Examiner  
Art Unit 3736

cam  
May 13, 2004